



**General Certificate of Secondary Education
2024**

Mathematics

M3

Calculator Paper

Higher Tier

[GMC31]

THURSDAY 16 MAY, MORNING

**MARK
SCHEME**

GCSE MATHEMATICS

Introduction

The mark scheme normally provides the most popular solution to each question. Other solutions given by candidates are evaluated and credit given as appropriate; these alternative methods are not usually illustrated in the published mark scheme.

The solution to a question gains marks for correct method and marks for accurate working based on this method. The marks awarded for each question are shown in the right hand column and they are prefixed by the letters M, A and MA as appropriate. The key to the mark scheme is given below:

M indicates marks for correct method.

A indicates marks for accurate working, whether in calculation, reading from tables, graphs or answers. Accuracy marks may depend on preceding M (method) marks, hence M0 A1 cannot be awarded, i.e. where the method is not correct no marks can be given.

MA indicates marks for combined method and accurate working.

A later part of a question may require a candidate to use an answer obtained from an earlier part of the same question. A candidate who gets the wrong answer to the earlier part and goes on to the later part is naturally unaware that the wrong data is being used and is actually undertaking the solution of a parallel problem from the point at which the error occurred. If a candidate continues to apply correct method, then the candidate's individual working must be followed through from the error. If no further errors are made, then the candidate is penalised only for the initial error. Solutions containing two or more working or transcription errors are treated in the same way. This process is usually referred to as "follow-through marking" and allows a candidate to gain credit for that part of a solution which follows a working or transcription error.

It should be noted that where an error trivialises a question, or changes the nature of the skills being tested, then as a general rule, it would be the case that not more than half the marks for that question or part of that question would be awarded; in some cases the error may be such that no marks would be awarded.

Positive marking

It is our intention to reward candidates for any demonstration of relevant knowledge, skills or understanding. For this reason we adopt a policy of following through their answers, that is, having penalised a candidate for an error, we mark the succeeding parts of the question using the candidate's value or answers and award marks accordingly.


Some common examples of this occur in the following cases:


- (a) a numerical error in one entry in a table of values might lead to several answers being incorrect, but these might not be essentially separate errors;
- (b) readings taken from a candidate's inaccurate graphs may not agree with the answers expected but might be consistent with the graphs drawn.

When the candidate misreads a question in such a way as to make the question easier, only a proportion of the marks will be available (based on the professional judgement of the examiner).

General Marking Advice

- (i) If the correct answer is seen in the body of the script and the answer given in the answer line is clearly a transcription error, full marks should be awarded.
- (ii) If the answer is missing, but the correct answer is seen in the body of the script, full marks should be awarded.
- (iii) If the correct answer is seen in working but a completely different answer is seen in the answer space, then some marks will be awarded depending on the severity of the error.
- (iv) Work crossed out but not replaced should be marked.
- (v) In general, if two or more methods are offered, mark only the method that leads to the answer on the answer line, if two (or more) answers are offered (with no solution offered on the answer line), mark the poorest answer.
- (vi) For methods not provided for in the mark scheme, give as far as possible equivalent marks for equivalent work.
- (vii) Where a follow through mark is indicated on the mark scheme for a particular part question, the marker must ensure that you refer back to the answer of the previous part of the question.
- (viii) Unless the question asks for an answer to a specific degree of accuracy, always mark at the greatest number of significant figures seen, e.g. the answer in the mark scheme is 4.65 and the candidate then correctly rounds to 4.7 or 5 on the answer line. Allow full marks for 4.65 seen in the working.
- (ix) Anything in the mark scheme which is in brackets (...) is not required for the mark to be earned, but if present it must be correct.
- (x) For any question, the range of answers given in the mark scheme is inclusive.

			AVAILABLE MARKS
1	$33.44 \div 4.4$ 7.6	MA1 A1	2
2	(a) 12, 4 (b) points plotted correctly correct line drawn	A1 A1 A1	3
3	$24.5 \times 37.20 = 911.40$ $1068.70 - 911.40 = 157.30$ $157.30 \div 14.30$ 11	MA1 MA1 MA1 A1	4
4	(a) front indicated (b)  (c) 26 indicated	A1 A1 A1	3
5	$134 + 45 + 119 = 298$ $360 - 298 = 62$ $180 - 62 = 118$	MA1 MA1 MA1	3
6	$\begin{array}{r} 16 \times 3 \\ 8 \\ \hline 48 \\ 8 \\ \hline 6 \end{array}$	M1 A1 A1	3
7	82, 81, 80 and 83, one in each box, starting from the left (allow MA1 for 2 correct)	MA2	2
8	(a) mean = 115.63 g Jack; the mean weight of his apples is greater ($116.85 > 115.63$) (b) The range of weights of his apples is smaller ($4.9 \text{ g} < 19.1 \text{ g}$)	M1A1 MA1 A1	4
9	Every Second $135 \div 100 \times 15 = 20.25$ $135 - 20.25 = 114.75$ Minutes Matter $174 \div 3 = 58$ $174 - 58 = 116$ Every Second identified	MA1 MA1 MA1 A1	4

		AVAILABLE MARKS
10	$(54 \times \frac{1}{2}) = 27$ $\frac{30 + 27}{1.5} = 38$	MA1 M1 A1 3
11	Circumference = $\pi \times 2 = 6.283185307$ $6.283185307 \times 15 = 94.24777961$ (so 95m needed) $95 \times \text{£}1.25 = \text{£}118.75$	M1 A1 MA1 MA1 4
12	$140 \times 3 = 420$ $50 \times 2.50 = 125$ $(10 \times 1) = 10$ $(420 + 125 + 10) - (120 + 20)$ 415	MA1 MA1 MA1 MA1 A1 5
13	$10y + 15 (= 79)$ $10y = 64$ 6.4	MA1 MA1 A1 3
14	(a) As the height increases so does the weight or positive correlation (or similar explanation) (b) point plotted accurately (c) higher	A1 A1 A1 3
15	(a)  <p>15 outside circles 10 in overlap 35 in Choir only and 20 in Drama only</p>	MA1 MA1 MA1 A1 4
(b)	$\frac{1}{4}$ or equivalent	A1 4

			AVAILABLE MARKS
16	$15^2 = x^2 + 7.5^2$	MA1	3
	$225 = x^2 + 56.25$	MA1	
	$x^2 = 168.75$ $x = \sqrt{168.75} = 12.99$ (13)	MA1	
17	$\frac{1}{2}(12 + 6) \times 4 = 36$	MA1	3
	$36 \times \text{length} = 522$	MA1	
	$\text{length} = \frac{522}{36} = 14.5$	MA1	
18	(a) $6 \times 105 + 13 \times 115 + 12 \times 125 + 15 \times 135 + 3 \times 145 + 1 \times 155$	M1A1	5
	$= 630 + 1495 + 1500 + 2025 + 435 + 155$		
	$= \frac{6240}{50}$	MA1	
	$= 124.8$	A1	
(b) $120 \leq h < 130$	A1		
19	Bank A		4
	3% of £2400 = £72		
	Year 1 £2472	MA1	
	1% of £2472 = £24.72		
	Year 2 £2496.72	MA1	
	Bank B		
	4% of £2400 = £96		
	Year 1 £2496	MA1	
	0.5% of £2496 = £12.48		
	Year 2 £2508.48	MA1	
alternative solution			
Bank A $\text{£}2400 \times 1.03 \times 1.01 = \text{£}2496.72$	MA2		
Bank B $\text{£}2400 \times 1.04 \times 1.005 = \text{£}2508.48$	MA2		
20	(a) $2 \times 3^2 \times 7$ or $2 \times 3 \times 3 \times 7$	M1A1	4
	(b) $90 = 2 \times 3 \times 3 \times 5$	MA1	
	HCF = $2 \times 3 \times 3 = 18$	MA1	
	alternative method		
90: 1,2,3,5,6,9,10,15,18,30,45,90			
126: 1,2,3,6,7,9,14,18,21,42,63,126	MA1		
HCF = 18	MA1		
21	$2x + 2(x + 13) = 86$ or $x + x + x + 13 + x + 13 = 86$	MA1	3
	$4x + 26 = 86$	MA1	
	$4x = 60$		
	$x = 15$	A1	

			AVAILABLE MARKS
22	$\frac{1}{2}(a + 3a) = 2 \quad a = 1$ $\frac{1}{2}(b + 3) = 5 \quad b = 7$	M1A1A1	3
23	$\sin \theta = \frac{0.7}{2.3}$ $\theta = 17.71893187$ $\times 2 = 35.43786375$	M1 A1 A1 A1	4
24	Volume of cylinder = $\pi \times 6^2 \times 25 = 2827.433388$ Volume of hemisphere = $\frac{2}{3} \times \pi \times 4.5^3 = 190.8517537$ 90% of 190.8517537 = 171.7665783 $2827.433388 \div 171.7665783 = 16.46090535 = 16$ cups	MA1 M1 A1 MA1 MA1	5
25	$(4x - 5)(3x + 4)$ $12x^2 + 16x - 15x - 20$ $12x^2 + x - 20$	M1 A1	2
26	(a) (i) 12.25 (ii) $15.5 - 8.7$ $= 6.8$	A1 MA1 A1	5
	(b) The average (median) delay at Southend is much greater than at Northside More variation in train delays at Southend	A1 A1	5
27	128% = £736 1% = $\text{£}736 \div 128 = \text{£}5.75$ 100% = $\text{£}5.75 \times 100 = \text{£}575$	MA1 MA1 MA1	3
	alternative method $736 \div 1.28 = 575$	M1A1A1	3
28	(a) $x^2 + (34 - x)^2 = 26^2$ $x^2 + 1156 - 68x + x^2 = 676$ $2x^2 - 68x + 480 = 0$ $x^2 - 34x + 240 = 0$	MA1 MA1 MA1 MA1	6
	(b) $(x - 10)(x - 24) = 0$ $x = 10$ or 24	MA1 A1	6
		Total	100